



ALPINE SANITATION & SUPPLIES LTD.

24 Ronson Drive, Unit 16, Etobicoke, Ontario M9W 1B4

Bus: (416)-744-2120 Fax: (416)-249-1859 Toll Free: 1-800 465-6198

**A < ! \* )**

P[[ áÈ ] ^ Á ã @ ^ { ] ^ æ ! ^ Á  
Öã @ æ @ \* Á æ @ ^ Á ã @ Ö ã ã @ Á [ . ¢ !



**GD97 = -9F`GH5H9A 9BH**

Ù ] ^ æ ã á Á } ã Á Á Á ^ Á [ ^ Á Ö ã à ^ Á [ á ^ Á P È í Á @ @  
¸ { ] ^ æ ! ^ Á ã @ æ @ \* Á æ @ ^ Á ã @ Ö ã ã @ Á [ . ¢ ! È  
¸ æ ! ^ Á í Á ^ Á } á Á æ & & ^ Á ¸ } á á Á æ @ È ] ^ Á  
B Á , ^ Á æ @ ã . ^ Á { . È @ æ Á ¸ ¸ Á Ú Ú & } . ¸ & ¸ È  
F Á ^ æ Á æ ¸ Á ã á Á [ í Á æ ã ¸ È W ã Á Á Á Ú Ö æ ] : [ ¸ á È



Ú : [ ¸ & ¸ .....  
¸ { Á [ È .....  
Ù ~ æ È .....  
G H 5 B 8 5 F 8 : 9 5 H I F 9 G

- " Ù ~ æ Á í È ^ Á } á Á & & ^ Á ¸ F Á æ ã . Á ^ Á @ ~ ! Á æ æ ã È
- " Ú , ^ Á ~ ! Á È Á Ú , æ @ { ] È [ ~ } ¸ á Á } Á  
æ @ È ã ! æ } Á æ È
- " ¸ ~ ! Á æ \* Á ^ Á & æ } \* | æ Á & ^ Á } . Á æ ã á ^ Á [ á Á [ á  
& | ^ Á & } Á æ á Á ] : [ ¸ Á ^ Á . æ æ & Á Á & [ \* \* á \* È
- " @ Á æ | ^ Á . Á ¸ ^ Á È ¸ & @ \* ^ æ | ^ Á ] ^ Á æ á Á , ^ Á  
, æ @ æ á Á æ . ^ Á { . Á & á á \* Á [ : : | ^ Á È
- " Ö [ ~ á | È æ ^ á Á æ \ Á [ } . ¸ & ¸ Á | Á ~ æ ¸ Á ] ^ Á æ } È
- " Ù ~ æ | ^ Á æ á Á æ á Á | á Á } ¸ ^ Á æ | ^ Á [ { Á [ } ] ^ Á |  
. ¸ æ @ È [ ~ \* ¸ ] ^ Á æ } È
- " X æ æ | ^ Á ^ Á & ¸ í Á , æ @ Á | Á í È F G È F í È Á & } á Á & & ^ Á È
- " Ö ¸ } á á Á æ @ Á È Á ^ Á & & Á | Á @ æ ã Á [ á á Á { .
- " Ú á \* | ^ Á ^ Á & æ á Á æ á Á æ | Á } } ^ Á & ¸ Á | Á æ @ ^ Á  
æ á Á [ . ¸ È
- " Ö ã ã Á È > Ö Ö Ö Ö Á | ^ Á & æ Á [ . ¸ ! Á @ æ | È  
¸ \ Y Á | Á È > Ö Ö Ö Ö Ö Ö Ö Ö \ Y Á | Á È > Ö Ö Ö Ö Ö Ö Ö Ö
- " Ö [ | Á æ ¸ Á , æ È
- " È ¸ { æ æ Á Á | Á , È æ \ Á æ | Á @ æ ] : [ ¸ & ¸ } È
- " Ú ! ^ Á ~ ! Á Ú á ã & \* Á æ ¸ Á Ú Ú X D ] : [ ¸ æ á Á [ . ¸ È
- " Ö ^ ¸ ^ Á } ¸ [ á Á æ á Á æ . ^ Á æ Á } } ^ Á & ¸ Á [ á ¸  
] : [ ¸ æ á È
- " V , [ Á G È Á Á G È Á È { { Á Á È { { á Á æ . Á ^ Á Á æ Á Á  
æ á Á æ Á [ ¸ { Á æ È

A < ! \* ) . < C C 8 i H M D 9 . 8 = G < K 5 G < 9 F

**CDH=CBG/ 5779GGCF =9G**  
SãÁ FFÁ Á È > Ö Ö Ö Ö Ö Ö Ö Ö Á á Á [ . ¸ ! Ú Ö Á È F È | J

# MH-65


Hood-type High Temperature Dishwashing Machine with Built-in Booster

Dimensions shown in inches and [millimeters]

Volume uncrated: **46 cu. ft./1.3 cu.m**

Shipping weight crated: **375 lbs./170kg**

Distance between tables: **24 5/8"/625mm**



Utilities	
<b>1 Electrical</b> (see boxes below)	
<b>2 Hot Water</b>	Flow pressure 20-22 psi (138-151kPa) 3/4" NPT hose connection 140°F/60°C for 40°F/22°C rise booster 3/4" NPT hose connection 110°F/43°C for 70°F/39°C rise booster
<b>3 Drain</b>	1 3/8" O.D. flex hose connection. Maximum flow 12 gpm (54 lpm)

**\*Service Note:** Allow a minimum of 16" [406mm] clearance from front and right and right side access panel for servicing.

**Warning:** Plumbing and electrical connections should be made by qualified workmen who will observe all the applicable plumbing, sanitary and safety codes and the National Electrical Code.

**Note:** Water Hammer Arrestor (meeting ASSE-1010 standard or equivalent) to be supplied (by others) in common water supply line at service connection.

**MH-65 with 40°F/22°C Rise Booster**

Elec. Specs.	Rated Amps	Minimum Supply Ckt. Conductor Ampacity	Maximum Overcurrent Protective Device
208/60/1	45	60	60
240/60/1	51	70	70
208/60/3	26	35	35
240/60/3	29	40	40

**MH-65 with 70°F/39°C Rise Booster**

Elec. Specs.	Rated Amps	Minimum Supply Ckt. Conductor Ampacity	Maximum Overcurrent Protective Device
208/60/3	37	50	50
240/60/3	42	60	60

SPECIFICATIONS	
<b>Capacities</b>	
Racks per hr. (NSF rated)	51
Wash tank US gal. (imp. gal./liters)	9.5 (7.9/36)
<b>Motor horsepower</b>	1.5
<b>Water consumption</b>	
Gal. per hr. (max. use)	
US gal. (imp. gal./liters)	48.5 (40/185)
Gal. per rack	
US gal. (imp. gal./liters)	1.0 (.82/3.8)
<b>Temperature°F/°C</b>	
Wash	150/66
Rinse	180/82
<b>Heating</b>	
Tank heat, electric (kW)	3
Electric booster (kW required for 40°F/22°C rise)	9
Electric booster (kW required for 70°F/39°C rise)	14
<b>Time cycle in seconds</b>	
Wash	43
Rinse	10
Dwell	12
Total Cycle	65
Extended Cycles	120 & 180